# Cetfur<sup>®</sup> Plus

Antibiotic, anti-inflammatory, analgesic and antipyretic drug for use in cattle and swine. Sterile solution for injection.

# Formula

### Indications

Broad-spectrum antibiotic combined with anti-inflammatory, analgesic and non-steroidal antipyretic drugs. Kills Gram positive and Gram negative bacteria and bacterial strains producing beta-lactamase. Sensitive bacteria: Salmonella cholerasuis; Actinobacillus pleuropneumoniae; Streptococcus suis type 2; Mannheimia (Pasterurella) haemolytica; Pasteurella multocida; Hystophilus somni (Haemophilus somnus); Haemophillus parasuis, Fusobacterium necrophorum; Bacteroides melaninogenicus; Moraxella bovis.

**Cattle:** Bovinerespiratory disease (BRD), shipping feverorbovine pneumonia, acute interdigitalnecrobacillosis (foot-rot). Treatment and prevention of reproductive tract infections (metritis).

**Swine:** Bacterialrespiratory illness. Treatment and prevention of reproductive tract infections (metritis). The combination of drugs in this product is effective in the treatment of infectious or potentially infectious processes associated with pain and inflammation. Such processes include: acute and chronic laminitis, acute infectious mastitis, dystocia. This is also the product of choice in the immediate postoperative period (caesarean sections and other surgeries, such as dehorning of older calves).

## **Dosage and Administration:**

Should be administered at a rate of 1 to 2 mL/50 kg, equivalent to 1 mg/kg to 2 mg/kg of ceftiofur and 2 mg/kg to 4 mg/kg of ketoprofen.

**Cattle:** Should only be administered by the intramuscular route in the muscles of the hindquarters.

Swine: Should only be administered by the intramuscular route in the muscles of the neck.

## **Duration of treatment**

Apply every 24 hours for 3 consecutive days. Treatment may be extended for two additional days according to the clinical condition and the criteria of the acting veterinarian.

## Package

Vial containing 100 mL.

