

Rolenal[®] Tablets

Analgesic and hypnotic opioid for dogs and cats.

Formula

Each tablet contains:

Tramadol 50 mg

Excipients q.s. 300 mg

Indications

Tramadol is indicated as anesthesia premedication in order to improve intraoperative analgesia and enable patients to undergo a comfortable recovery. Its duration of action (between 6 and 8 hours) provides a significant analgesic effect in the immediate postoperative period.

It is also indicated for the treatment of post surgical pain, being an effective analgesic after mastectomy and abdominal, orthopedic and spine surgeries.

It is also used in the treatment of acute pain in various syndromes, such as osteoarthritis and spinal pain.

Dosage and Administration

The recommended dose is 1 to 2 mg/kg regardless of the route of administration, although for chronic osteoarticular pain the dose can be up to 5 mg/kg.

Therefore, the usual recommended dose is one tablet every 25 to 50 kg of bodyweight.

The product can be used for the treatment of acute pain, during the immediate postoperative period or for prolonged treatment. When treatment is prolonged, we suggest an initial dose of 2 mg/kg every 6 hours for 24 - 48 hours, later reduced to 1 mg/kg or administered at longer intervals of 8 hours, as the case requires. The duration of a complete treatment session must be determined by the acting veterinarian but for post-surgical pain usually only 3 to 5 days are necessary.

Package

Box containing 20 multi-dose tablets.