

Warning: Read label and package insert.

Power[®] Tablets is formulated with Spinosad, a pulicide with a new mode of action produced from a family of natural products derived from the fermentation of the actinomycete *Saccharopolyspora spinosa*.

Power[®] Tablets is a non-toxic, fast-acting systemic pulicide with high killing power, extended residual activity, and easy to administer to cats and dogs.

Composition

Each 350 mg palatable tablet contains 150 mg spinosad and formulation agents q.s.p. 1 tablet.

Each 700 mg palatable tablet contains 300 mg spinosad and formulation agents q.s.p. 1 tablet.

Each 1400 mg palatable tablet contains 600 mg spinosad and formulation agents q.s.p. 1 tablet.

Each 2100 mg palatable tablet contains 900 mg spinosad and formulation agents q.s.p. 1 tablet.

Each 2800 mg palatable tablet contains 1200 mg spinosad and formulation agents q.s.p. 1 tablet.

Indications

Power[®] Tablets is indicated for the prevention and treatment of flea infestations, collaborating with the prevention of flea-borne diseases and zoonoses due to its very fast parasitocidal action, which prevents the parasites from remaining on the animal. This is particularly important in the case of hematophagous parasites.

It is fast acting against the common cat and dog fleas: *Ctenocephalides felis* and *Ctenocephalides canis*.

Administration and form of use

Power[®] Tablets are administered by mouth once a month. Administer with food or immediately after.

Offer the tablet to each animal according to their body weight for direct voluntary ingestion or mixed with food. If the dose is not ingested voluntarily, it can be administered orally, ensuring its ingestion.

Dosage

Cats and dogs more than 14 weeks old	Dogs weighing:	Spinosad per tablet	Total tablet weight	Cats weighing:
	2,5 to 5 kg	150 mg	350 mg	2 to 3 kg
	5,1 to 10 kg	300 mg	700 mg	3,1 to 6 kg
	10,1 to 20 kg	600 mg	1400 mg	6,1 to 12 kg
	20,1 to 30 kg	900 mg	2100 mg	
	30,1 to 40 kg	1200 mg	2800 mg	

Recommendations

Recommendations

Do not use in dogs or cats less than 14 weeks old.

Do not exceed the recommended dose.

In isolated and individual cases, susceptible animals may display vomiting.

In such cases, if vomiting occurs less than one hour after administration, the dose should be repeated.

Overdose

The minimum recommended dose is 30 mg/kg in dogs and 50 mg/kg in cats. Publications on the active ingredient indicate the following side effects when it is administered at doses above the recommended dose, listed in decreasing order starting from the most frequently observed:

In dogs and cats: Vomiting, frequent side effect (16%) at doses of 100 mg/Kg and higher. The following are mentioned very sporadically, although not observed in clinical use: depression or lethargy, anorexia, ataxia, diarrhea, pruritus, tremors, hypersalivation and convulsion.

Precautions

No studies have been carried out in cats and dogs less than 14 weeks of age, in gestating females, during lactation or in males during reproduction. Use with caution in these categories. In the event of hypersensitivity or allergic reaction to the product, treat symptomatically and do not repeat administration.

Use with caution in dogs and cats with a history of epilepsy. In all cases, it is recommended to consult the veterinarian involved. It is recommended to avoid the concomitant administration of Power tablets with high doses of ivermectin.

Warnings

Wash hands after administering the product. Do not drink, smoke or eat while handling the product. Avoid ingestion of the product. Do not store with food. Keep out of reach of children and animals. In case of accidental ingestion, call a physician. There is no specific antidote. Apply symptomatic treatment.

National Toxicology Center: 0800-333-0160.

Empty containers do not represent an environmental risk and may be disposed of with household waste. Keep in original container away from direct sunlight and at room temperature, between 15 ° and 30 °C.

Presentations

Box containing 1 blister with:

- 1 x 350 mg tablet containing 150 mg Spinosad for treating dogs weighing 2.5 to 5 kilos and cats weighing 2 to 3 kilos.
- 1 x 700 mg tablet containing 300 mg Spinosad for treating dogs weighing 5.1 to 10 kilos and cats weighing 3.1 to 6 kilos.
- 1 x 1400 mg tablet containing 600 mg Spinosad for treating dogs weighing 10.1 to 20 kilos and cats weighing 6.1 to 12 kilos.
- 1 x 2100 mg tablet containing 900 mg Spinosad for treating dogs weighing 20.1 to 30 kilos.
- 1 x 2800 mg tablet containing 1200 mg Spinosad for treating dogs weighing 30.1 to 40 kilos.

 **senasa** - Certificate No 15-147

Manuf. Plant No. 4384 - Made in Argentina

Technical Manager: Rodolfo A. M. Perotti. Veterinary doctor, Reg. N° 2705.

BROUWER S.A.

Dr. Rafael Bielsa 232/8 (C1427AZD) Buenos Aires.

Tel.: (54 11) 4555-6663.

www.brouwer.com.ar